

## DS-2CS54D7T-IRS HD1080P Mini Dome Camera



### Key Features

- 2 Megapixel high-performance CMOS
- Analog HD output, up to 1080p resolution
- True Day/Night
- OSD menu, DNR, Smart IR, AGC
- True WDR, up to 120dB
- Built-in microphone
- Up the Coax (HIKVISION-C)




## Specifications

<b>Camera</b>	
Image Sensor	2 megapixel progressive CMOS sensor
Signal System	PAL/NTSC
Effective Pixels	1928 (H) × 1088 (V)
Min. illumination	0.01 Lux @ (F1.2, AGC ON), 0 Lux with IR
Shutter Time	1/25 s (1/30 s) to 1/50,000 s
Lens	3.6 mm (2.8 mm, and 6 mm are selectable)
Field of View	100.5°(2.8 mm), 80.5° (3.6 mm), 53° (6 mm)
Lens Mount	M12
Day & Night	ICR
Angle Adjustment	Pan: -30° to 30°, Tilt: 0° to 80°, Rotate: -180° to 180°
Synchronization	Internal Synchronization
Ture WDR	> 120 dB
Video Frame Rate	1080p@25fps, 1080p@30fps
S/N Ratio	> 62 dB
<b>Interface</b>	
Video Out	1 BNC
Audio In	Built-in Microphone
Audio Out	1 RCA
<b>Menu</b>	
AGC	Low/Middle/High/OFF
D/N Mode	Color/BW/SMART
White Balance	Manual/Auto
BLC	Support
Language	Chinese/English
Functions	Brightness, Contrast, Saturation, Sharpness, Digital noise reduction, Mirror
<b>General</b>	
Operating Conditions	-40 °C to 60 °C (-40 °F to 140 °F), Humidity: 90% or less (no condensation)
Power Supply	12 V DC±15%
Power Consumption	Max. 5 W
Protection Level	IK 07
IR Range	10 m to 20 m
Dimensions	97 mm × 99.5 mm × 46.6 mm (3.82" × 3.92" × 1.83")
Weight	Approx. 300 g (0.66 lb.)

## Order Models

DS-2CS54D7T-IRS

## Dimensions



Distributed by



### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
saleseuro@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-444  
info.fr@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision UK**  
T +44-1628-9021-4  
support.uk@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com