




STANDALONE WIRELESS ACCESS POINTS

Boost your business with simple,
cloud-managed Wi-Fi solutions

Hikvision's Access Points

The Optimal Networking Choice for SMBs



1. Cloud-based management

Access Points (APs) connect directly to the cloud and are managed entirely from the cloud. No additional hardware access controllers are required.

Hik-Partner Pro is provided by regional Cloud Service Providers (CSPs) such as Amazon Web Services (AWS) to ensure the security of cloud infrastructures.

2. Seamless Wi-Fi experience


- One-click network optimization
- Wi-Fi configuration
- Intelligent roaming

3. Convenience for SMBs

Designed for small and micro businesses, such as small offices and coffee shops, with demand for less than 20 access points.

Why Need

Standalone Wireless Access Points?



Small SMBs setup

Use access points (APs) with an optical modem or home router for a budget-friendly, stylish, and easy-to-manage network.

Extended coverage

Expand Wi-Fi coverage effortlessly with plug-and-play APs when existing coverage falls short.


Flexible phased installation

Begin with gateway devices in Phase 1, then add wireless APs and video security devices in Phase 2—no need for matching brands.

Benefits

Economic

No need to buy extra access controllers




Lower operational expenses



Free cloud services


Easy

- Quick setup in just three steps
- Visualized network topology at your fingertips
- Flexible networking and easy expansion



Efficient

- One-click network optimization
- Video-network integration, unified cloud management
- Zero-touch provisioning, remote deployment, multi-site maintenance



Product Showcase



DS-3WAP622E-SI

- 3000 Mbps
- 1 x 2.5 GE RJ45
- Connected Devices: 256/100 (Max/Recommend)




DS-3WAP622G-SI

- 1800 Mbps
- 1 x GE RJ45
- Connected Devices: 256/100 (Max/Recommend)



DS-3WAP522-SI

- 1167 Mbps
- 1 x GE RJ45
- Connected Devices: 256/80 (Max/Recommend)




DS-3WAP621E-SI

- 3000 Mbps
- 1 x 2 GE RJ45
- Connected Devices: 256/70 (Max/Recommend)



DS-3WAP521-SI

- 1167 Mbps
- 1 x 2 GE RJ45
- Connected Devices: 128/50 (Max/Recommend)



DS-3WAP623E-SI

- 3000 Mbps
- 1 x GE RJ45
- Connected Devices: 256/100 (Max/Recommend)



www.hikvision.com
support@hikvision.com



Hik-Partner Pro

Scan and download
the app

Search Hikvision

