Wireless Security Camera

S320



Features


- 4MP ultra-high-definition resolution and F1.6 large aperture, improving image quality.
- The 150° ultra-wide angle lens captures a broad view of your front yard.
- Supports multiple detection functions, including motion detection, human body detection, and pet detection, to fulfill your home security needs.
- Supports sound and light alarms, deterring intruders in your yard with audio and visual warnings.
- Supports dual-band Wi-Fi (2.4GHz and 5GHz) and Wi-Fi 6, enabling faster video streaming and real-time monitoring.
- Supports network configuration via Bluetooth, simple and fast network setup.
- With built-in 8GB eMMC storage, no extra storage cost.
- Built-in 6400mAh rechargeable lithium battery, no wiring required.
- Magnetic base, easy and fast installation.

Specifications

Model	S320	S320	S320	S320
Camera				
Max Resolution	4 MP			
Lens				
Focal Length	2.2 mm			
Iris	F1.6			
Field of View (D)	150°			
Illuminator				
Illuminator	2 x IR illuminator; 2 x white light illuminator			
Illumination Distance	IR: 10 m, white light: 5 m			
Wavelength (IR)	850 nm			

Video				
Stream	High: 2560 × 1440@15 fps Medium: 1920 × 1080@15 fps Low: 640 × 360@15 fps			
Privacy Mask	Up to 3 areas			
Audio				
Two-way Audio	Support			
Trigger				
PIR	Support; detection distance: 7 m, horizontal angle: 110°			
Events				
Human Body Detection	Support			
Pet Detection	Support			
Wi-Fi				
Frequency Range	2.4 GHz and 5 GHz			
Wireless Standards	IEEE802.11b/g/n/ac/ax			
Wi-Fi Security	WPA-PSK/WPA2-PSK/WPA3-Personal			
Interface				
Built-in Mic	Support			
Built-in Speaker	Support			
Storage				
Cloud Storage	Supports (subject to cloud storage plans on the Youkey Life app)			
Local Storage	8 GB eMMC (only for event storage)			
General				
Dimensions	105.4 × 89.8 × 81.4 mm (4.1" × 3.5" × 3.2")			
Weight	0.44 kg (0.88 lb)			
Power	Type-C DC 5 V/2 A			
Battery	6400 mAh rechargeable lithium battery			
Working Environment	-20 ℃ to 50 ℃ (-4 ℉ to 122 ℉), Humidity: ≤ 95% RH (non-condensing)			
Charging Environment	0 ℃ to 45 ℃ (32 ℉ to 113 ℉), Humidity: ≤ 95% RH (non-condensing)			
Ingress Protection	IP65			
LED Indicator	1, red/green			
Mount	Wall mount, Desktop placement			
Regional Standards	E-commerce – US	Distribution Channels - Global	E-commerce – UK	E-commerce – EU

Dimensions



KeyLife International Technology Limited

Workshop 7, 6th Floor Core 45, No. 43 Tsun Yip Street, Kowloon, Hong KongChater Road, Central, Hong Kong

Email: global@youkey.com; support@youkey.com

https://www.youkey.com

©2026 KeyLife International Technology Limited All rights reserved.

*Product specifications and availability are subject to change, please refer to the latest version.

*KeyLife reserves the right to change the contents of this document.