

Zprovoznění venkovních Wi-Fi pojítek

HIKVISION[®]



1. Na každé zařízení se připojíme, zaktivujeme a přihlásíme se:

<https://192.168.1.36/login.html>

English

Activate Device

admin

••••••••

••••••••

Czech Republic

TERMS OF USE

Installer must install this device professionally. It is the installer's responsibility to follow local country/region regulations, including operation within legal frequency channels and output power requirements.

I agree to these terms of use

Activate

2. U zařízení si zvolíme, zda se jedná o AP/CPE a nastavíme SSID, který musí být totožný u všech zařízení, které chceme spárovat. Zvolíme si také security klíč.

Status

Network

Wireless

System

Operating Mode:	AP	<input checked="" type="checkbox"/> Hide
SSID:	HIKVISION_10000	<input checked="" type="checkbox"/> Hide
Country Code:	Czech Republic	
Network Mode:	11b/g/n	
Channel Width:	20MHz	
Channel:	auto	
Antenna Gain:	12 dBi	
Transmission Power:	8 dBm	<input type="checkbox"/> Allowing adjusting transmission power
Security Mode:	WPA2-PSK	
Security Key:	●●●●●●●●	

Copyright ©2019 Hangzhou Hikvision Digital Technology Co., Ltd.

3. Zvolíme možnost Scan, zařízení vybereme a potvrdíme heslem.

rk Wireless System

Scan

SN	SSID	MAC Address	Channel	Security Mode	Signal Strength	Choose
1	HIKVISION_10000	64:DB:8B:F7:A1:C1	9	WPA2-PSK,AES	-41dBm	<input checked="" type="checkbox"/>
2			12	WPA2-PSK,AES		
3				ES		
4				2-PSK...		
5				ES		
6				ES		
7				ES		<input type="checkbox"/>
8			2	WPA2-PSK,AES		<input type="checkbox"/>
9			6	WPA2-PSK,AES		<input type="checkbox"/>
10			6	WPA2-PSK,AES		<input type="checkbox"/>


10 items per page 13 items in total

Previous 1 2 Next

Confirm

The selected SSID will be set to peer device after you click OK, please enter the password of select SSID to connect to it.

OK Cancel



4. V záložce Status / Peer Device bychom nyní měli vidět, že jsou zařízení spárovaná.

HIKVISION Status Network Wireless System

Device Info Peer Device

SN	IPV4	MAC Address	Signal Strength	Received Rate
1	192.168.1.36	64:DB:8B:F7:A1:C1	-39dBm	72Mbps